







1 ASSEMBLED ENCLOSURE

Material : Enclosure frame: 1,50 mm mild steel+RAL 7035 coating
Door: 2,00 mm mild steel+RAL 7035 coating
Rear panel: 1,20 mm mild steel+RAL 7035 coating


Gland plate: 1,50 mm galvanized steel
Plinth corners: 2,00 mm galvanized steel
+ RAL 7035 coating
Plinth panels: 1,50 mm galvanized steel sheet
+ RAL 9005 coating

IP Protection : IP55

Supply includes : 1 set of enclosure frame, 1 pcs door, 1 pcs rear panel,
1 pcs top cover, 1 pcs gland plate, 1 set of plinth,
1 set of enclosure combination kit, 4 pcs lifting hook.

- ▼ Please see page 121-131 for accessories.
- ▼ Please see page 222-225 for technical drawings.
- ▼ Please see page 148-149 for stainless steel AISI 304 (1.361) products.
- ▼ Please see page 115-119 for product selection table.


FLAT PACKAGE ENCLOSURE



1/1 FLAT PACKAGE MAIN BODY

Supply includes : 2 pcs enclosure width - height frame, 1 pcs front door,
1 pcs rear panel.

- ▼ Please see page 115-119 for product selection table.




1/2 FLAT PACKAGE BOTTOM-TOP GROUP

Supply includes : 4 pcs enclosure depth frame, 1 pcs top panel,
1 pcs gland plate, 1 pcs enclosure combination kit,
4 pcs lifting hook and enclosure combination part.

! Attention : Products seen as H100mm and H200mm in the option table are respectively shown as 1/2 100 and 1/2 200.

- ▼ Please see page 115-119 for product selection table.



2 MOUNTING PLATE

Material : 2,00 mm galvanized steel

Supply includes : 1 pcs mounting plate

Note : The mounting plate is mounted on the rear in standard equipments. Mounting plate move rails is required for reciprocating the mounting plate.

Please see page 115-119 for product option table.



3 INTERMEDIATE MOUNTING PLATE

Material : 2,00 mm galvanized steel

Supply includes : 1 pcs mounting plate

Note : Intermediate mounting plate is fixed and cannot move.

Please see page 115-119 for the option table.




4 MOUNTING PLATE MOVE RAILS

Material : Depth rails and cradles: 2,00 mm galvanized steel

Supply includes : 6 pcs depth rail, 6 pcs cradles and combination screw.

Note : Only required for mounting plate moves.
Not required for fixed, back-mounted mounting plates.
Not used with intermediate mounting plate.

Please see page 115-119 for the option table.



5 SIDE PANELS (2 PCS)

Material : 1,20-1,50 mm Mild steel + RAL 7035 coating

Supply includes : 2 pcs (a couple of) side panel and screws.


Please see page 115-119 for the option table.

1 ASSEMBLED ENCLOSURE




Supply includes:
Enclosure frame, front door, rear
panel, gland plate, H100 plinth set


1/1 FLAT PACKAGE MAIN BODY



1/2 FLAT PACKAGE BOTTOM-TOP GROUP



2 MOUNTING PLATE




3 INTERMEDIATE MOUNTING PLATE



4 MOUNTING PLATE MOVE RAILS



5 SIDE PANEL (1 SET)



DT FLOOR STANDING MODULAR ENCLOSURE

SIZES and MODELS

HEIGHT (H): 2000 + 100 mm

ENCLOSURE DEPTH 400mm (D)		ENCLOSURE WIDTH mm (W)				
STEP	PRODUCT DESCRIPTION	SINGLE DOOR 500	SINGLE DOOR 600	SINGLE DOOR 800	DOUBLE DOOR 1000	DOUBLE DOOR 1200
1	ASSEMBLED ENCLOSURE H2:100mm	135.204.N	136.204.N	138.204.N	130.204.N	132.204.N
1/1	FLAT PACKAGE MAIN BODY (SOLID DOOR)	145.200	146.200	148.200	140.200	142.200
1/1	FLAT PACKAGE MAIN BODY (GLAZED DOOR)	155.200	156.200	158.200	----	----
1/2	FLAT PACKAGE TOP-BOTTOM H2:100mm	961.054	961.064	961.084	961.104	961.124
1/2	FLAT PACKAGE TOP-BOTTOM H2:200mm	962.054	962.064	962.084	962.104	962.124
2	MOUNTING PLATE	942.520	942.620	942.820	942.020	942.220
3	INTERMEDIATE MOUNTING PLATE	997.520	997.520	997.520	997.520	997.520
4	MOUNTING PLATE MOVE RAILS	964.400	964.400	964.400	964.400	964.400
5	SIDE PANELS (2 pics)	932.420	932.420	932.420	932.420	932.420

ENCLOSURE DEPTH 500mm (D)		ENCLOSURE WIDTH mm (W)				
STEP	PRODUCT DESCRIPTION	SINGLE DOOR 500	SINGLE DOOR 600	SINGLE DOOR 800	DOUBLE DOOR 1000	DOUBLE DOOR 1200
1	ASSEMBLED ENCLOSURE H2:100mm	135.205.N	136.205.N	138.205.N	130.205.N	132.205.N
1/1	FLAT PACKAGE MAIN BODY (SOLID DOOR)	145.200	146.200	148.200	140.200	142.200
1/1	FLAT PACKAGE MAIN BODY (GLAZED DOOR)	155.200	156.200	158.200	----	----
1/2	FLAT PACKAGE TOP-BOTTOM H2:100mm	961.055	961.065	961.085	961.105	961.125
1/2	FLAT PACKAGE TOP-BOTTOM H2:200mm	962.055	962.065	962.085	962.105	962.125
2	MOUNTING PLATE	942.520	942.620	942.820	942.020	942.220
3	INTERMEDIATE MOUNTING PLATE	997.520	997.520	997.520	997.520	997.520
4	MOUNTING PLATE MOVE RAILS	964.500	964.500	964.500	964.500	964.500
5	SIDE PANELS (2 pics)	932.520	932.520	932.520	932.520	932.520

ENCLOSURE DEPTH 600mm (D)		ENCLOSURE WIDTH mm (W)				
STEP	PRODUCT DESCRIPTION	SINGLE DOOR 500	SINGLE DOOR 600	SINGLE DOOR 800	DOUBLE DOOR 1000	DOUBLE DOOR 1200
1	ASSEMBLED ENCLOSURE H2:100mm	135.206.N	136.206.N	138.206.N	130.206.N	132.206.N
1/1	FLAT PACKAGE MAIN BODY (SOLID DOOR)	145.200	146.200	148.200	140.200	142.200
1/1	FLAT PACKAGE MAIN BODY (GLAZED DOOR)	155.200	156.200	158.200	----	----
1/2	FLAT PACKAGE TOP-BOTTOM H2:100mm	961.056	961.066	961.086	961.106	961.126
1/2	FLAT PACKAGE TOP-BOTTOM H2:200mm	962.056	962.066	962.086	962.106	962.126
2	MOUNTING PLATE	942.520	942.620	942.820	942.020	942.220
3	INTERMEDIATE MOUNTING PLATE	997.520	997.520	997.520	997.520	997.520
4	MOUNTING PLATE MOVE RAILS	964.600	964.600	964.600	964.600	964.600
5	SIDE PANELS (2 pics)	932.620	932.620	932.620	932.620	932.620

ENCLOSURE DEPTH 800mm (D)		ENCLOSURE WIDTH mm (W)				
STEP	PRODUCT DESCRIPTION	SINGLE DOOR 500	SINGLE DOOR 600	SINGLE DOOR 800	DOUBLE DOOR 1000	DOUBLE DOOR 1200
1	ASSEMBLED ENCLOSURE H2:100mm	135.208.N	136.208.N	138.208.N	130.208.N	132.208.N
1/1	FLAT PACKAGE MAIN BODY (SOLID DOOR)	145.200	146.200	148.200	140.200	142.200
1/1	FLAT PACKAGE MAIN BODY (GLAZED DOOR)	155.200	156.200	158.200	----	----
1/2	FLAT PACKAGE TOP-BOTTOM H2:100mm	961.058	961.068	961.088	961.108	961.128
1/2	FLAT PACKAGE TOP-BOTTOM H2:200mm	962.058	962.068	962.088	962.108	962.128
2	MOUNTING PLATE	942.520	942.620	942.820	942.020	942.220
3	INTERMEDIATE MOUNTING PLATE	997.520	997.520	997.520	997.520	997.520
4	MOUNTING PLATE MOVE RAILS	964.800	964.800	964.800	964.800	964.800
5	SIDE PANELS (2 pics)	932.820	932.820	932.820	932.820	932.820